



To Members of the Press

Poison and African vultures: Widespread, increasing and mostly illegal use of poison is decimating African vulture populations, precipitating a biodiversity crisis with as yet uncharted human health consequences - conclude members of African, American and European organizations during a multinational workshop.

7th May 2014 – Africa is home to 11 of the 23 species of vultures worldwide. Once common and widespread across the continent, vultures are undergoing unprecedented declines in Africa – four species are now considered Globally Endangered and at risk of extinction, and three more are listed as Vulnerable, according to the IUCN Red List of Species. Poisoning is the number one threat to Africa’s vultures.

Rates of decline and causes of poisoning differ across the continent – in southern and eastern Africa vultures die after eating carcasses of intentionally poisoned animals. These situations arise for example when poachers use poisons to kill native African wildlife including rhino and elephants, when feral domestic dog populations are the subject of a concerted poisoning campaign, or native carnivores such as jackals and hyenas are targeted with poisons. In addition, poachers will kill vultures directly since their conspicuous presence can attract the attention of law enforcement agents. In certain regions of Africa, vultures are deliberately killed for food, for the traditional medicine trade, and as a result of direct persecution.

Whatever the means and the drivers, the situation is now critical – vultures are declining across the African continent, largely at a dramatic rate - decreases of up to 97% for some species have been detected in West Africa in just over three decades, while 50-60% rates of decline have been measured in the savannahs of East Africa and southern Africa. This continent is quickly losing its vultures, and with them the critical and highly efficient ecosystem services they provide. Without scavengers, carcasses are left to rot, disease spreads among other animals, sanitation decreases in and around villages and stray dog populations’ rise in tandem with associated cases of human injuries and fatal rabies incidences.

Vultures are considered protected species in most African countries, and many have enacted legislation that criminalizes the use of poison to kill wildlife. Unfortunately, contradictory agricultural and pest control regulations, poor awareness, lack of enforcement, and poor or inconsistent diagnostic capabilities usually mean that vulture poisoning often remains underreported and under investigated, with conviction and even indictments rare. Some African countries have no laws to protect vultures from poisoning or direct persecution.

“Vultures are magnificent birds that provide a major service to African society by cleaning up dead animals and helping to prevent the spread of diseases. If they disappear Africa will face an ecological catastrophe”, explained André Botha, the chair of the IUCN vulture specialist group, and the Birds of Prey Programme of the Endangered WildLife Trust in South Africa.

Faced with this huge wildlife and human crisis, a number of African, North American and European wildlife, vulture and poison experts gathered recently in a meeting in southern Spain, co-sponsored by the Junta de Andalucía, to evaluate the issue, exchange views, mobilize capacity and expertise and plan ahead.

Darcy Ogada, a Kenya-based conservationist from The Peregrine Fund stated “In India the almost complete disappearance of vultures has resulted in a strong increase of the feral dog population and associated rabies incidence, which has been estimated to have cost \$ 34 billion US in human health costs alone. It is shocking that nobody seems to be worried about the massive vulture decline we are now witnessing across Africa”.



Poisoning is an engrained, pervasive practice, incorporated even into food gathering in some parts of Africa. These practices and the poisoning of vultures themselves for consumption by local people also undoubtedly pose significant - but as yet undocumented - human health risks, while sanitation around villages often deteriorates without these scavengers. “Quantifying the potential human health impacts of the vulture crisis, and also estimating the real value of vultures within the African ecosystem is a priority”, commented Ralph Buij, a researcher from Alterra-Wageningen University and formerly based in Cameroon.

In some countries where vulture populations are still relatively strong, such as Ethiopia, other threats are looming. “Strychnine is increasingly used by municipalities against feral dogs, and other undetermined poisons, including registered and non-registered pesticides, are used to kill hyenas and jackals. Our rich vulture populations are at serious risk when they consume poisoned carcasses” said Yilma Abebe, project leader of the Ethiopian Wildlife & Natural History Society.

The experts identified building/strengthening needed capacity while gathering more information and data as immediate priorities – with the aim of increased detection and better documentation of poisoning events, increased sampling and analysis to determine the causes of poisoning, and gaining a better overall understanding of the sociological drivers that are contributing to the increase in poisoning incidents. “It is critical that African governments become actively involved in this issue. Saving African vultures will require enforcement of policies on a continental scale. Science and documentation of poisoning will support recovery, but it will be the people of Africa and their governments that ultimately save the African vultures”, concluded Moses Selebatso, from Raptors Botswana.

The workshop closed with a set of relevant conclusions, products, and next steps – above all, it produced a consensual alert from vulture experts, chemists and analysts, government staff, enforcement agencies, and conservationists from 12 countries: “Without rapid and effective action, Africa will soon lose these critical keystone species!”, summarised José Tavares, the director of the Vulture Conservation Foundation.

ENDS

The International workshop on “Poisoning and vultures – what is the situation in Africa and how can Europe help?” was co-organized by the Junta de Andalucía, the Vulture Conservation Foundation, and Working Dogs for Conservation, in Ronda, Spain, on the 8-11th April 2014, and was funded by the EU programme on trans-border cooperation between Spain and Morocco. The list of participants, conclusions and the presentations can be found at www.4vultures.org

The current press-release has been sent on behalf of the following organizations:

Alterra Wageningen University and Research Centre
 Endangered Wildlife Trust, Birds of Prey Programme
 Environmental Research Institute
 Ethiopian Wildlife and Natural History Society
 IUCN Vulture Specialist Group
 Junta de Andalucía
 Nigeria Conservation Foundation
 Raptors Botswana Research and Conservation
 The Peregrine Fund
 Vulture Conservation Foundation
 US Geological Survey Environmental Health
 Working Dogs for Conservation



Contacts:

André Botha

Co-Chair, IUCN Vulture Specialist Group & Manager, Birds of Prey Programme, Endangered Wildlife Trust, South Africa
 Mobile: +27 82 962 5725 E-mail: andreb@ewt.org.za

Carol U Meteyer, USGS Contaminant Biology Program, 12201 Sunrise Valley Drive, Reston, VA 20192 USA
cmeteyer@usgs.gov Phone: 1 703-648-4057

Darcy Ogada, Assistant Director of Africa Programs, The Peregrine Fund, 5668 W. Flying Hawk Lane, Boise, Idaho 83709, USA, darcyogada@yahoo.com, Mobile: +254 722 339366

José Tavares, Director, Vulture Conservation Foundation, Wuhstrasse 12. CH-8003 Zurich, Switzerland
j.tavares@4vultures.org, Phone 00 90 532 4613463

Iñigo Fajardo, Head of the Antipoison-Antipoaching Programme, Dirección General Gestión Medio Natural, Junta de Andalucía, inigo.fajardo@juntadeandalucia.es

Mark Taggart, Senior Research Fellow, Environmental Research Institute, University of the Highlands and Islands, Thurso, Scotland, UK, KW14 7JD. Mark.Taggart@uhi.ac.uk

Moses Selebatso, Conservation Biologist, Raptors Botswana Research and Conservation, P.O. Box 602403, Gaborone, Botswana. selebatsom@yahoo.co.uk. Phone 00267 71639370

Pete Coppolillo, Executive Director, and Ngaio Richards, Canine Field Specialist, Working Dogs for Conservation, USA.
pete@workingdogsforconservation.org
Ngaio@workingdogsforconservation.org

Ralph Buij, Animal Ecology Team, Alterra, Wageningen University and Research Centre, PO Box 47, 6700 AA Wageningen, Netherlands, ralph.buij@wur.nl

Ruth O. Akagu, Conservation Science, Species and Important Bird Area Programme, Nigerian Conservation Foundation, South East Regional Programme Office, 109A, Marian Road Calabar, G P.O. Box 796, Calabar, Cross River State, Nigeria
ruthoakagu@gmail.com , Mobile: 234 706 877 8877.

Yilma Dellelegn Abebe P. O. Box 18112 Addis Ababa Ethiopia, Tel: +251 11 911 400 636 (mobile), ornithopia1@gmail.com